


LMC-ML-M2516UR





UR series



レンズ形式	Lens Type	Specifications	
フォーカス位置	Focus Position	Reference Magnification	M.O.D
光学倍率	Magnification	0.049	0.152
焦点距離 (mm)	Focal Length	25.00	25.00
Fno	Fno	1.60~16.00	
NA	Numerical Aperture	-	-
WD/OD (mm)	Working/Object Distance	500.0 / 510.0	150.0 / 160.0
O/I (mm)	Object to Image Distance	553.34	205.92
鏡筒長 (mm)	Mechanical Tube Length	34.60~38.50	
レンズバック (mm)	Lens Back	13.75	16.33
被写界深度 (mm)	DOF @PCoC ϕ 0.04mm	54.223	5.835
分解能 (μ m)	Resolution @ λ =550nm	-	-
前側/後側主点位置 (mm)	Front/Rear Principal Position	29.42 / -12.46	29.42 / -12.46
入射/出射瞳位置 (mm)	Entrance/Exit Pupil Position	18.48 / -31.94	18.48 / -31.94
入射/出射瞳径 (mm)	Entrance/Exit Pupil Diameter	15.92 / 28.32	15.92 / 28.32
画角 (deg.) H x V	Angle Of View	19.39 x 14.64	18.05 x 13.89
TVディストーション (%)	TV Distortion	-0.041	-0.271
周辺光量比 (%)	Relative Illumination	49.78	53.52
質量 (g)	Weight	50	
マウント	Mount	C mount	
イメージサークル径 (mm)	Image Circle	ϕ 11	
最大適合カメラ	Largest Compatible Camera	2/3 Inch	



WD=500.0mm Fno2.8







MORITEX Corporation

Technology center Lens design & Development technology
 TEL +81 (0)48-218-2536 moritex.mvs@moritex.com
 FAX +81 (0)48-462-6713 www.moritex.com



WD=300.0mm Fno2.8



MORITEX Corporation





Technology center Lens design & Development technology

TEL +81 (0)48-218-2536 moritex.mvs@moritex.com

FAX +81 (0)48-462-6713 www.moritex.com



WD=150.0mm Fno2.8



MORITEX Corporation

Technology center Lens design & Development technology
 TEL +81 (0)48-218-2536 moritex.mvs@moritex.com
 FAX +81 (0)48-462-6713 www.moritex.com

