


LMC-ML-M3520HR

HR series







Lens Type		Specifications	
Focus Position		Reference Magnification	M.O.D
Magnification		0.073	0.152
Focal Length	(mm)	35.00	35.00
Fno		2.00~16.00	
Numerical Aperture		-	-
Working/Object Distance	(mm)	500.0 / 505.8	250.0 / 255.8
Object to Image Distance	(mm)	550.56	303.32
Mechanical Tube Length	(mm)	30.50~35.80	
Lens Back	(mm)	16.32	19.08
DOF @PCoC f0.04mm	(mm)	34.639	8.758
Resolution @λ=550nm	(μm)	-	-
Front/Rear Principal Position	(mm)	8.97 / -21.16	8.97 / -21.16
Entrance/Exit Pupil Position	(mm)	26.19 / -9.62	26.19 / -9.62
Entrance/Exit Pupil Diameter	(mm)	17.50 / 11.73	17.50 / 11.73
Angle Of View (H x V)	(deg.)	13.15 x 9.73	11.94 x 9.04
TV Distortion	(%)	0.116	0.043
Relative Illumination	(%)	66.90	73.13
Weight	(g)	40	
Mount		C Mount	
Filter Thread size		M25.5 x 0.5	
Image Circle	(mm)	φ11	
Largest Compatible Camera (pixel size)		2/3 Inch (4.5μm)	

LMC-ML-M3520HR



WD=500.0mm Fno2.8



MORITEX Corporation

Technology Center : Lens Design & Development Technology

For support, please contact :





MORITEX North America, Inc.

TEL +1 (408) 363-2100 machine.vision@moritex.com

FAX +1 (408) 363-9985 www.moritex.com



WD=300.0mm Fno2.8



MORITEX Corporation

Technology Center : Lens Design & Development Technology

For support, please contact :





MORITEX North America, Inc.

TEL +1 (408) 363-2100 machine.vision@moritex.com

FAX +1 (408) 363-9985 www.moritex.com



WD=250.0mm Fno2.8



MORITEX Corporation

Technology Center : Lens Design & Development Technology

For support, please contact :

MORITEX North America, Inc.

TEL +1 (408) 363-2100 machine.vision@moritex.com

FAX +1 (408) 363-9985 www.moritex.com

