


LMC-ML-U2515SR

SR series







Lens Type		Specifications	
Focus Position		Reference Magnification	M.O.D
Magnification		0.047	0.215
Focal Length	(mm)	24.88	26.40
Fno		1.52~16.00	
Numerical Aperture		-	-
Working/Object Distance	(mm)	500.0 / 502.5	100.0 / 102.5
Object to Image Distance	(mm)	584.52	184.52
Mechanical Tube Length	(mm)	67.00	
Lens Back	(mm)	14.36	19.77
DOF @PCoC f0.04mm	(mm)	56.016	2.977
Resolution @λ=550nm	(μm)	-	-
Front/Rear Principal Position	(mm)	47.97 / -11.68	46.77 / -12.35
Entrance/Exit Pupil Position	(mm)	33.27 / -47.59	31.68 / -47.59
Entrance/Exit Pupil Diameter	(mm)	15.84 / 38.71	16.58 / 38.71
Angle Of View (H x V)	(deg.)	27.43 × 20.87	31.33 × 23.61
TV Distortion	(%)	-0.738	-0.324
Relative Illumination	(%)	35.64	46.82
Weight	(g)	210	
Mount		C mount	
Filter Thread size		M37 x 0.75	
Image Circle	(mm)	φ17.6	
Largest Compatible Camera (pixel size)		1.1 Inch (2.74μm)	

LMC-ML-U2515SR



WD=500.0mm Fno2.8



MORITEX Corporation

Technology Center : Lens Design & Development Technology

For support, please contact :





MORITEX North America, Inc.

TEL +1 (408) 363-2100 machine.vision@moritex.com

FAX +1 (408) 363-9985 www.moritex.com



WD=300.0mm Fno2.8



MORITEX Corporation

Technology Center : Lens Design & Development Technology

For support, please contact :





MORITEX North America, Inc.

TEL +1 (408) 363-2100 machine.vision@moritex.com

FAX +1 (408) 363-9985 www.moritex.com



WD=100.0mm Fno2.8



MORITEX Corporation

Technology Center : Lens Design & Development Technology

For support, please contact :

MORITEX North America, Inc.

TEL +1 (408) 363-2100 machine.vision@moritex.com

FAX +1 (408) 363-9985 www.moritex.com

